AD								

Award Number: W81XWH-11-1-0748

TITLE: Metabolic and Biomechanical Measures of Gait Efficiency of Three Multi-Axial, Vertical Shock and Energy Storing Return Prosthetic Feet During Simple & Complex Mobility Activities

PRINCIPAL INVESTIGATOR: William S. Quillen

CONTRACTING ORGANIZATION: University of South Florida

Tampa, FL 33620-9951

REPORT DATE: October 2013

TYPE OF REPORT: Annual Report

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE	2. REPORT TYPE	3. DATES COVERED
October-2013	Annual	15September2012–14September2013
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER
	al Measures of Gait Efficiency of	5b. GRANT NUMBER
	al Shock and Energy Storing Return	W81XWH-11-1-0748
Prosthetic Feet During Si	mple and Complex Mobility Activities	5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJECT NUMBER
Quillen, William S. and Highsm	ith, M. Jason	5e. TASK NUMBER
email: wquillen@health.usf.ed	lu	5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME	E(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION REPORT NUMBER
University of South Florida		
Div Sponsored Research		
·		
Tampa, FL 33620-9951		
9. SPONSORING / MONITORING AGENC		10. SPONSOR/MONITOR'S ACRONYM(S)
U.S. Army Medical Researc		-
Fort Detrick, Maryland 2	1702-5012	
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)
		-
12. DISTRIBUTION / AVAILABILITY STA	TEMENT	1

Approved for Public Release; Distribution Unlimited

13. SUPPLEMENTARY NOTES

14. ABSTRACT

The purpose of the study is to assess the performance of ten highly mobile transtibial amputees on an obstacle course and laboratory setting utilizing three different multi-function prosthetic feet (vertical shock, torsion control, multiaxial and energy storing). At this time, the study is still underway; therefore we do not have significant findings to report. The equipment to be used for metabolic and timing has been evaluated and tested, and performed satisfactorily.

15. SUBJECT TERMS

Prosthetics, performance optimization

16. SECURITY CLAS	SIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U	UU	6	19b. TELEPHONE NUMBER (include area code)

Table of Contents

<u>Pa</u>	<u>age</u>
ntroduction	4
Body	4
Key Research Accomplishments	5
Reportable Outcomes	5
Conclusion	5
References	5
Appendices	5
Supporting Data	.6

Introduction


The purpose of the study is to assess the performance of 14 highly mobile transtibial amputees on an obstacle course and laboratory setting utilizing three different multi-function prosthetic feet (vertical shock, torsion control, multiaxial and energy storing). Subjects will be recruited based on a history of active military service, recent military service, active service as a first-responder or highly accomplished recreational/competitive amputee athlete. Amputee performance will also be compared to a non-amputee control group.

Body

At this time we can report that 100% of experimental subjects completed data collection (n=14 transtibial amputees). Further, 100% of the control subjects completed data collection (n=14 SWAT team members; non-amputees). Said differently there was no attrition which is a significant accomplishment.

In terms of equipment for assessment, all equipment (i.e. Bertec treadmill, Vicon motion capture system, Cosmed Metabolic equipment, Brower timing system) has maintained sound operation throughout the data collection and there were no problems to report. Calibration was completed in accordance with manufacturer recommendations.

Enclosed is a preliminary bar graph demonstrating the overall mean(SD) time to complete the SWAT obstacle course. This is among the most salient outcome measures of the entire project. The blue, red and green bars represent the amputee performance in the 3 differing prosthetic feet conditions. Conditions have not yet been un-masked or statistically analyzed for significant differences (pending). Just observationally, it appears that there is the possibility of a performance compromise with foot condition #3 relative to feet conditions #1 and #2. Further, the more apparent difference is how much faster the SWAT team members (non-amputee controls) completed the course. In our opinion, at this preliminary stage of analysis it appears that this is the most likely significant difference (analysis underway). Observationally, it seems that regardless of prosthetic foot condition, there is an estimated 25% performance detriment associated with transtibial amputation regardless of foot condition, compared to non-amputee SWAT team control subjects when completing the SWAT obstacle course.



Data reduction is underway. Data analysis began late Fall 2013 and continues. Dissemination will follow, and will continue through the end of the no cost extension period, September 2014.

At this time, we do not foresee a need to revise any of the tasks approved in the original Statement of Work.

Key Research Accomplishments

- The study experienced no attrition. Given that typical attrition in prosthetics studies is estimated at approximately 30%, we consider this an accomplishment.
- Comparative efficacy research of the interventions will add to the body of knowledge to facilitate informed clinical decision-making.

Reportable Outcomes

At this time, there are no publications or presentations to report. The first manuscript is in development. The research team is considering expansion of this concept to other levels of amputation and have identified BAA W911QY-13-R-0032 as a potential granting mechanism for follow-up research.

Conclusion

As stated in our anticipated results in the proposal, the expectation is to recommend a prosthetic foot that will optimize performance in rigorous activities such as those undertaken in this study.

References

None

Appendices

None

Supporting Data None